ALWAYS THE BEST
FLEXIBLE SAFETY BARRIERS

mpm
FLEXIBLE PROTECTIONS

JUNE 2021

FLEXIBLE PROTECTIONS

PRESENTS **NEW MATERIALS**

REFLEX
RESISTANT AND FLEXIBLE

FROSTEX
RESISTANT TO LOW TEMPERATURES

CONTENTS

01	Rack Protection	page 08	09	BFlex	page 56
02	Bollard	page 16	10	Column Protection	page 64
03	Guard Rails	page 20	11	Loading Bays Protections	page 72
04	Cold Line	page 26	12	Wheel Stop	page 74
05	Pedestrian Safety Barriers	page 34	13	Cable Cover	page 78
06	Warning Bar	page 40	14	Corner Protection	page 80
07	Doors	page 44	15	Kerb	page 82
08	Link	page 50	16	Wall Protection	page 86

MPM
FLEXIBLE PROTECTIONS
WAREHOUSE
OFFICE
SLOW DOWN

OUR MATERIALS



REFLEX
RESISTANT AND FLEXIBLE

- RESISTANT OVER TIME
- HIGH ELASTICITY
- COMPLIANT WITH THE DIRECTIVE UE 2015/863 (ROHS)
- 100% RICYCLABLE
- SELF EXTINGUISHING V0
- SCRATCHPROOF MATERIAL
- HIGH VISIBILITY AND NO PAINTING REQUIRED
- EASY TO CLEAN
- ROT-PROOF AND NORMALLY MILDEW-PROOF MATERIAL
- NO TOXIC
- RESISTANT TO CHEMICALS OIL AND FUELS
- RESISTANT TO HUMIDITY AND SALINITY

FROSTEX
RESISTANT TO LOW TEMPERATURES

- TEMPERATURE RANGE: -30° + 50° C
- HIGH ELASTICITY
- COMPLIANT WITH THE DIRECTIVE UE 2015/863 (ROHS)
- 100% RICYCLABLE
- HB FLAMMABILITY RATING ACCORDING TO UL 94
- SUITABLE FOR FOOD CONTACT
- HIGH VISIBILITY AND NO PAINTING REQUIRED
- RESISTANT TO CHEMICALS OIL AND FUELS
- ROT-PROOF AND NORMALLY MILDEW-PROOF MATERIAL
- NO TOXIC
- RESISTANT TO HUMIDITY AND SALINITY

NEWS

AVAILABLE FOR:
LM / PED 150 / TOWER

RESEARCH AND DEVELOPMENT NEVER STOP!

ORANGE LINE

HIGHER VISIBILITY FOR A GREATER SAFETY!

RESEARCH AND DEVELOPMENT NEVER STOP!

NEWS

AVAILABLE FOR:
LM / PED 150 / TOWER

CLIP 90

EASY TO INSTALL

CUSTOMIZE YOUR BARRIER



MORE **VISIBILITY**

WORKSTATION

DIFFERENT SIZES ON REQUEST

BIG SIZE
UP TO 2500 x 940

GENIUS

THE LENGTH THAT YOU WISH

SAFETY TOTEM

CUT THE RAIL AND DRILL IT
WITH GENIUS

FOR **HUG TOWER**

FOR **PEDESTRIAN BARRIER RAILS**

FOR **PEDESTRIAN BARRIER CORNER RAILS**

WORLD'S UNIQUE SYSTEM!
YOUR CUSTOMIZED BARRIER AND HUG TOWER



INFORMATION SIGN ON **SAFETY REGULATIONS**

GEL HOLDER

GLOVES HOLDER

SURGICAL MASKS HOLDER

AVAILABLE IN FOUR VERSIONS

01

RACK PROTECTION

OUR PROFILES FIT ALL RACKS

HIGH IMPACT ABSORPTION

Full range of techno polymer profiles for protection of warehouse racks.

Gamma completa di profili in tecnopolimeri per la protezioni di scaffali.

Complète gamme de profilés en tecnopolimère pour la protection d'étagères de depôts.

Gama completa de perfiles de tecnopolímeros para las protecciones de estanterías.

EASY TO INSTALL

THE ONLY ONE WITH TRIPLE SHOCK ABSORBER

CUSTOMIZED SOLUTIONS TO FIT ALL UPRIGHTS

TÜV SÜD



RPS 600

Small

ANTISHOCK MATERIAL INSIDE

Available also size 400

Packing 6 pz / box
Packing 115 pz / big parcel
Colour M



RPM 600

Medium

ANTISHOCK MATERIAL INSIDE

Available also size 400

Packing 4 pz / box
Packing 80 pz / big parcel
Colour M





RPL 600

Large

ANTISHOCK MATERIAL INSIDE

Available also size 400

Packing 2 pz / box
Packing 52 pz / big parcel
Colour M





RPL XL 600

Extra Large

ANTISHOCK MATERIAL INSIDE

Available also size 400

Packing to be defined
Colour M



RP CLICK

Packing 1 pz / box





RACK CORNER

ANTISHOCK MATERIAL INSIDE

Equipped with accessories

Packing to be defined
Colour M



SM

LIGHT LOAD / FOR HANDPALLET TRUCKS

DIFFERENT SIZES ON REQUEST

FAST AND EASY TO INSTALL



M12
GALVANISED STEEL

SM 1500x400 MODULAR

Equipped with accessories

Packing **unpacked on pallet**
Colour B M



SM 1100x400

Equipped with accessories

Length **1.100**
Packing **unpacked on pallet**
Colour B M



LM

HEAVY LOAD / FOR FORKLIFTS

TÜV SÜD

DIFFERENT SIZES ON REQUEST

FAST AND EASY TO INSTALL



M12
GALVANISED STEEL

LM 2000x500 MODULAR

Equipped with accessories

Packing **unpacked on pallet**
Colour B M



LM 1100x500
LM 2400x500

Equipped with accessories

Length **1.100 / 2.400 mm**
Packing **unpacked on pallet**
Colour B M



FENCE 90

LIGHT LOAD / FOR HANDPALLET TRUCKS

DIFFERENT SIZES ON REQUEST

FAST AND EASY TO INSTALL

M12
GALVANISED STEEL

FE 90 1100x350

Equipped with accessories

Length 1.100 mm
Packing unpacked on pallet
Colour B M



FE 90 2400x350

Equipped with accessories

Length 2.400 mm
Packing unpacked on pallet
Colour B M

FENCE 150

HEAVY LOAD / FOR FORKLIFTS

DIFFERENT SIZES ON REQUEST

FAST AND EASY TO INSTALL

M12
GALVANISED STEEL

FE 150 1100x550

Equipped with accessories

Length 1.100 mm
Packing unpacked on pallet
Colour B M

FE 150 2400x550

Equipped with accessories

Length 2.400 mm
Packing unpacked on pallet
Colour B M

FENCE 150 REINFORCED

HEAVY LOAD / FOR FORKLIFTS

DIFFERENT SIZES ON REQUEST

FAST AND EASY TO INSTALL

M12
GALVANISED STEEL

FE 150 REF 1100x550

Length 1.100 mm
Packing unpacked on pallet
Colour B M

Equipped with accessories

FE 150 REF 2400x550

Length 2.400 mm
Packing unpacked on pallet
Colour B M

Equipped with accessories

FENCE LINK

HEAVY LOAD / FOR FORKLIFTS

DIFFERENT SIZES ON REQUEST

FAST AND EASY TO INSTALL

M12
GALVANISED STEEL

FE LINK 1100x550

Length 1.100 mm
Packing unpacked on pallet
Colour B M

Equipped with accessories



FE LINK 2400x550

Length 2.400 mm
Packing unpacked on pallet
Colour B M

Equipped with accessories



02

BOLLARD

Designed to protect access to gates or big doors from huge traffic or simply to mark restricted areas for pedestrians.
Fully equipped with fixing accessories.

Ideato per proteggere l'accesso a cancelli o portoni dalla movimentazione di mezzi pesanti o semplicemente per impedire l'ingresso di pedoni. Provvisto di accessori di fissaggio.

Etudié pour proteger l'acces aux portes ou entrées de grand trafic ou simplement pour marquer les zones de passage piétons. Equipé avec les accessoires d'installation.

Diseñado para proteger el acceso a puertas o portones del movimiento de vehículos pesados o simplemente para evitar la entrada de peatones. Provisto de accesorios de fijación.



GRD 90

LIGHT LOAD / FOR HANDPALLET TRUCKS

FAST AND EASY TO INSTALL



M12
GALVANISED STEEL



GRD 90 250

Equipped with accessories

Packing **unpacked on pallet**
Colour B M



GRD 150

HEAVY LOAD / FOR FORKLIFTS

FAST AND EASY TO INSTALL

TÜV SÜD *

M12
GALVANISED STEEL

GRD 150 * 500
800
1150

Packing **unpacked on pallet**
Colour B M



Equipped with accessories

GRD 200

HEAVY LOAD / FOR FORKLIFTS



FLEXIBLE

NEW ANTISHOCK BUMPER



INCLUDED

FAST AND EASY TO INSTALL

S16
GALVANISED STEEL

GRD 200 1200
2000

Packing **unpacked on pallet**
Colour M

Equipped with accessories

03

GUARD RAILS

A new bumper system specific for the protection of the walls resistant against trolleys movements. Designed by following an innovative technical design that combines speed and simplicity in the steps of installation and cleaning. Available in different lengths.



Sistema profili antiurto specifico per la protezione delle pareti dai carrelli in movimento. Progettato seguendo un innovativo disegno tecnico che coniuga rapidità e semplicità nelle fasi di installazione e pulizia. Disponibile in diverse lunghezze.

Nouveau système bumper, spécifique pour protéger les murs contre les mouvements des charriots. Etudié avec un modern dessin qui regroupe la rapidité et la facilité pendant l'installation et le nettoyage. Disponible en différents longueurs.

Sistema de perfiles anti-impacto específico para la protección de las paredes de los carros en movimiento. Diseñado según un diseño técnico innovador que une velocidad y simplicidad en las fases de instalación y limpieza. Disponible en diferentes longitudes.

GUARD RAIL 90

LIGHT LOAD / FOR HANDPALLET TRUCKS

QUICK INSTALLATION WITH EXPANSION SCREW

M16
GALVANISED STEEL

ALTERNATIVE FIXING
HIGH RESISTANCE WITH RESIN

SF16
STAINLESS STEEL



GR 90 500
750
1000
1500

Equipped with accessories

Length 500 mm
Packing unpacked on pallet

Length 750 / 1000 / 1500 mm
Packing 2 pz / box

Colour B M



GR 90 2000
3000
4000

Equipped with accessories

Length 2.000 / 3.000 / 4.000 mm
Packing unpacked on pallet
Colour B M





GUARD RAIL 150

HEAVY LOAD / FOR FORKLIFTS

HIGH RESISTANCE WITH RESIN

SF20
STAINLESS STEEL

GR 150 500
750
1000
1500

Equipped with accessories

Length 500 / 750 /
1000 / 1500 mm
Packing unpacked on pallet

Colour B M



GR 150 2000
3000
4000

Equipped with accessories

Length 2.000 / 3.000 / 4.000 mm
Packing unpacked on pallet
Colour B M





GRIN 90

LIGHT LOAD / FOR HANDPALLET TRUCKS



M12
GALVANISED STEEL

GRIN 90 1500

Length **1500 mm**
Packing **to be defined**
Colour M

GRINCO 90

Equipped with accessories

Packing **to be defined**
Colour M



GRINT 90

Equipped with accessories

Packing **to be defined**
Colour M

GRIN 150

HEAVY LOAD / FOR FORKLIFTS

TÜV SÜD

HIGH RESISTANCE PERFORMANCE

M12
GALVANISED STEEL

GRIN 150 2000

Length **2000 mm**
Packing **to be defined**
Colour M



GRINCO 150

Equipped with accessories

Packing **to be defined**
Colour M



GRINT 150

Equipped with accessories

Packing **to be defined**
Colour M



04
COLD LINE

Specific solutions for the protection of areas at risk of impact, in environments with negative temperature. They are suitable to protect corners, entrances, gates, panels and cold rooms walls.

Soluzioni specifiche per la protezione di zone a rischio d'impatto in ambienti a temperatura negativa. Ideali per proteggere angoli sporgenti, accessi e portoni, pannelli e pareti di celle frigorifere.

Solutions spécifiques pour la protection des zones à risque de collision dans les environnements à température négative. Idéal pour protéger les angles, les entrées et les portes, les panneaux et les murs des chambres froides.

Soluciones específicas para proteger las zonas con riesgo de impacto en entornos de temperatura negativa. Son ideales para proteger esquínas, entradas y puertas, paneles y paredes de las cámaras frigoríficas.

-30°

RESISTANT TO LOW TEMPERATURES

FROSTEX
RESISTANT TO LOW TEMPERATURES

ROD 70

LIGHT LOAD / FOR HANDPALLET TRUCKS

REMOVABLE EASY TO REMOVE AND TO REPLACE

ANCHOR

-30°
RESISTANT TO LOW TEMPERATURES

M20
GALVANISED STEEL

Fixing accessory available also in stainless steel

ROD 70 266

Drill Ø 38
Equipped with accessories

Packing 1 pz / box
Colour M



ROD 120

HEAVY LOAD / FOR FORKLIFTS

REMOVABLE EASY TO REMOVE AND TO REPLACE

ANCHOR

-30°
RESISTANT TO LOW TEMPERATURES

M30
GALVANISED STEEL

Fixing accessory available also in stainless steel

ROD 120 433
560
800

Drill Ø 56
Equipped with accessories

Packing 1 pz / bag
Colour M



ROD FLOOR 70

LIGHT LOAD / FOR HANDPALLET TRUCKS

QUICK INSTALLATION WITH EXPANSION SCREW

M16
GALVANISED STEEL

-30°
RESISTANT TO LOW TEMPERATURES



RF 70 500 / 1000 / 1500

Length 500 / 1000 / 1500 mm
Packing unpacked on pallet
Colour M



Equipped with accessories

RF 70 2000 / 3000

Length 2.000 / 3.000 mm
Packing unpacked on pallet
Colour M



Equipped with accessories



ROD FLOOR 120

HEAVY LOAD / FOR FORKLIFTS

HIGH RESISTANCE WITH RESIN

SF20
STAINLESS STEEL

-30°
RESISTANT TO LOW TEMPERATURES



RF 120 500 / 1000 / 1100 / 1500

Length 500 / 1000 / 1100 / 1500 mm
Packing unpacked on pallet
Colour M



Equipped with accessories



RF 120 2000 / 2500 / 3000

Length 2.000 / 2.100 / 3.000 mm
Packing unpacked on pallet
Colour M



Equipped with accessories

ROD FLOOR 120 DOUBLE RACK END

HEAVY LOAD / FOR FORKLIFTS

HIGH RESISTANCE WITH RESIN

SF20 x 450
STAINLESS STEEL

ANCHOR



RF 120 DOUBLE 1100

Length 1100 mm
Packing unpacked on pallet
Colour M



Equipped with accessories

RF 120 DOUBLE 2500

Length 2.500 mm
Packing unpacked on pallet
Colour M



Equipped with accessories

ROD FLOOR 120 DOUBLE

HEAVY LOAD / FOR FORKLIFTS

HIGH RESISTANCE WITH RESIN

ANCHOR

SF20 x 450
STAINLESS STEEL



RF 120 DOUBLE 500
1000
1500

Length 500 / 1000 / 1500 mm
Packing unpacked on pallet
Colour M



Equipped with accessories



RF 120 DOUBLE 2000
3000

Length 2.000 / 3.000 mm
Packing unpacked on pallet
Colour M



Equipped with accessories

05

PEDESTRIAN SAFETY BARRIERS

A new protection system specific for the protection of pedestrians and resistant to trolleys movements with different load types. Designed by following an innovative technical design that combines speed and simplicity in the steps of installation and cleaning. Available in different lengths.

Sistema di profili antiurto specifico per la protezione delle aree pedonali dai carrelli in movimento con diverse portate di carico. Progettato seguendo un innovativo disegno tecnico che coniuga rapidità e semplicità nelle fasi di installazione e pulizia. Disponibile in diverse lunghezze.

Nouveau systèm bumper, spécifique pour protéger les zones piétonnes contre les mouvements des charriots. Etudié avec un modern dessin qui regroupe la rapidité et la facilité pendant l'installation et le nettoyage. Disponible en différents longueurs.

Sistema específico de perfiles antichoque para la protección de zonas peatonales de carros en movimiento con diferentes. capacidades de carga. Diseñado según un diseño técnico innovador que une velocidad y simplicidad en las fases de instalación y limpieza. Disponible en diferentes longitudes.

HAND RAIL 90

LIGHT LOAD / FOR HANDPALLET TRUCKS

FAST AND EASY TO INSTALL

M12
GALVANISED STEEL



HR 90 1500x1150 MODULAR

Equipped with accessories

Packing unpacked on pallet
Colour M





HR 90 1500x1150 CORNER

Equipped with accessories

Packing unpacked on pallet
Colour M



PEDESTRIAN 90

LIGHT LOAD / FOR HANDPALLET TRUCKS

FAST AND EASY TO INSTALL

M12
GALVANISED STEEL

PED 90 1500x1150 MODULAR

Equipped with accessories

Packing unpacked on pallet
Colour B M



PED 90 1500x1150 CORNER

Equipped with accessories

Packing unpacked on pallet
Colour B M



PEDESTRIAN 150

HEAVY LOAD / FOR FORKLIFTS

FAST AND EASY TO INSTALL

M12
GALVANISED STEEL

PED 150 2000x1150 MODULAR

Equipped with accessories

Packing unpacked on pallet
Colour B M



PED 150 2000x1150 CORNER

Equipped with accessories

Packing unpacked on pallet
Colour B M



PEDESTRIAN 90 REINFORCED

LIGHT LOAD / FOR HANDPALLET TRUCKS

M12
GALVANISED STEEL

PED 90 REF MODULAR

Equipped with accessories

Packing unpacked on pallet
Colour B M



PEDESTRIAN 150 LINK

HEAVY LOAD / FOR FORKLIFTS

FAST AND EASY TO INSTALL



M12
GALVANISED STEEL

PED 150 LINK

Equipped with accessories

Packing unpacked on pallet
Colour B M



06

WARNING BAR

The ceiling-mounted protection system has been designed to prevent forklifts collisions with overhead infrastructure. Warning bar is created to keep under control the passage of forklifts that exceed height limits, attracting the attention of drivers and inviting them to a more careful guide. Useful to protect gates, loading docks or overhead assets. Available in different lengths.

Sistema di protezione a soffitto ideato per prevenire le collisioni dei carrelli elevatori in movimento con le infrastrutture sopraelevate. Warning bar è progettato per limitare il passaggio di carrelli che superano i limiti di altezza, attirando l'attenzione dei carrellisti e invitandoli ad una guida più accorta. L'installazione è consigliata in prossimità di portoni, baie di carico o di attrezzature sospese. Disponibile in diverse lunghezze.

Système de protection à monter sur le plafond créé pour prévenir les collisions des chariots élévateurs en mouvement avec les infrastructures en hauteur. Warning bar est très utile pour limiter le passage des chariots élévateurs qui dépassent les limites d'hauteur, pour attirer l'attention des conducteurs et de les habituer à faire plus attention à la conduite des chariots élévateurs. C'est installé en proximité de cadres de porte, quais de chargement et infrastructures suspendues. Disponible en plusieurs tailles.

Sistema de protección aérea diseñado para evitar la colisión de carretillas elevadoras en movimiento con infraestructuras elevadas. La barra está diseñada para limitar el paso de las carretillas que superan los límites de altura, llamando la atención de los conductores de montacargas e invitándoles a conducir con más cuidado. Se recomienda su instalación cerca de puertas, muelles de carga o equipos suspendidos. Disponible en varias longitudes.

WARNING BAR

HEAVY LOAD / FOR FORKLIFTS

WBAR

Equipped with accessories

Length	**2000 / 3000 mm**
Packing	**to be defined**
Colour	M



WARNING BAR / INFORMATION SIGN

WBIS

Equipped with accessories

Length 2000 / 3000 mm
Packing to be defined
Colour M



WARNING BAR / LIGHT & SOUND 102dB



WBLS

Equipped with accessories

Length 2000 / 3000 mm
Packing to be defined
Colour M



07

DOORS

Safety gate system with different opening possibilities, ideated to be installed on our pedestrian barriers. Designed by following an innovative technical design that combines speed and simplicity in the steps of installation and cleaning. Available in different opening systems.

Sistema di cancelli antiurto ideati per l'installazione nelle nostre barriere di protezione per aree pedonali. Progettati seguendo un innovativo disegno tecnico che coniuga rapidità e semplicità nelle fasi di installazione e pulizia. Disponibili molteplici sistemi di apertura.

Système de portillons résistant aux chocs étudié pour l'installation de nos barrières de protections pour les zones piétons.Portillons conçus suivant un design innovant qui combine rapidité et simplicité pendant le montage et le nettoyage. Différents systèmes d'ouvertures disponibles.

Sistema de puertas antigolpe diseñadas para la instalación de nuestras barreras de protección para áreas peatonales. Diseñado según un diseño técnico innovador que une velocidad y simplicidad en las fases de instalación y limpieza. Están disponibles varios sistemas de apertura.

FULL FRAME

HEAVY LOAD / FOR FORKLIFTS

DIFFERENT SIZES ON REQUEST

FAST AND EASY TO INSTALL

OPTION:
WALL FIXING ACCESSORIES

NEW
BIGGER PLATES!



M16
STAINLESS STEEL

FFB SELF STANDING

Packing to be defined
Colour M



Equipped with accessories

DOOR PEDESTRIAN 90

DIFFERENT SIZES ON REQUEST

NEW **SWING** OPENING



DP 90
ONE WAY

Equipped with accessories

Packing to be defined
Colour M



DP 90
SWING

Equipped with accessories

Packing to be defined
Colour M



DP 90
SWING
DOUBLE

Equipped with accessories

Packing to be defined
Colour M



DOOR PEDESTRIAN 150

DIFFERENT SIZES ON REQUEST

NEW **SWING** OPENING

DP 150
ONE WAY

Equipped with accessories

Packing to be defined
Colour M



DP 150
SWING

Equipped with accessories

Packing to be defined
Colour M





DP 150
SWING
DOUBLE

Equipped with accessories

Packing to be defined
Colour M





LIFT GATE 90

DIFFERENT SIZES ON REQUEST

NEW





LIFT GATE 90

Equipped with accessories

Packing to be defined
Colour M

LIFT GATE 90 DOUBLE

x2

DOUBLE GATE



LIFT GATE 90 DOUBLE

Equipped with accessories

Packing to be defined
Colour M



LIFT GATE 150

DIFFERENT SIZES ON REQUEST

NEW



LIFT GATE 150

Equipped with accessories

Packing to be defined
Colour M



LIFT GATE 150 DOUBLE

x2

DOUBLE GATE





LIFT GATE 150 DOUBLE

Equipped with accessories

Packing to be defined
Colour M



08

LINK

The first adaptable barrier in the world thanks to the new connection system. Rail adjustable height, easy to set up, higher resistance in the most critical points.

Prima barriera al mondo regolabile a piacimento con nuovo sistema di raccordo. Altezza regolabile, facilmente componibili e resistenza potenziata nei punti piu' critici.

Première barrière au mond à modifier aux besoins avec un nouveau système de jonction. Hauteur à changer, facile à assembler et resistance reinforcée aux points plus compliquès.

Primera barrera del mundo ajustable según lo necesario con un nuevo sistema de ajuste. Altura ajustable, fácilmente componibles y resistencia potenciada en los puntos más críticos.

NEW PRODUCT

ADAPTABLE HEIGHT ↕ ON YOUR NEEDS

LINK 150/3

HEAVY LOAD / FOR FORKLIFTS

DIFFERENT SIZES ON REQUEST

M12 GALVANISED STEEL



LINK 150/3

Equipped with accessories

Packing unpacked on pallet
Colour B M



LINK 150/3 CORNER

Equipped with accessories

Packing unpacked on pallet
Colour B M



LINK 150/2

HEAVY LOAD / FOR FORKLIFTS

DIFFERENT SIZES ON REQUEST

M12
GALVANISED STEEL



LINK 150/2

Equipped with accessories

Packing unpacked on pallet
Colour B M



LINK 150/2 CORNER

Equipped with accessories

Packing unpacked on pallet
Colour B M



LINK 150/1

HEAVY LOAD / FOR FORKLIFTS

DIFFERENT SIZES ON REQUEST

M12
GALVANISED STEEL

LINK 150/1

Equipped with accessories

Packing unpacked on pallet
Colour B M



LINK 150/1 CORNER

Equipped with accessories

Packing unpacked on pallet
Colour B M



LINK LM

HEAVY LOAD / FOR FORKLIFTS

DIFFERENT SIZES ON REQUEST

M12
GALVANISED STEEL



LINK LM 500
800

Equipped with accessories

Packing unpacked on pallet
Colour B M



LINK LM
CORNER

Equipped with accessories

Packing unpacked on pallet
Colour B M



LINK SINGLE

HEAVY LOAD / FOR FORKLIFTS

DIFFERENT SIZES ON REQUEST

M12
GALVANISED STEEL



LINK SINGLE 500
800

Equipped with accessories

Packing unpacked on pallet
Colour B M



LINK SINGLE
CORNER

Equipped with accessories

Packing unpacked on pallet
Colour B M

09

BFLEX

A new safety protection system with reinforced profile. It is a more flexible and shock-absorber solution. Designed to ensure high safety standards and to resist impacts from heavy loads. Available in many different versions.

Nuovo sistema di protezioni con profilo rinforzato, doppiamente flessibile e assorbente. Progettato e realizzato con un particolare design per garantire alti livelli di sicurezza e resistere all'impatto da carichi pesanti. Disponibile in diverse versioni.

Nouveau système de protection avec profil renforcé, doublement flexible et absorbant. Conçu et produit avec un design particulier pour assurer des niveaux élevés de sécurité et résister à l'impact des charges lourdes. Disponible en plusieurs versions.

Nuevo sistema de protección con perfil reforzado, más flexible y capaz de absorber los impactos. Diseñado para asegurar el entorno laboral y para resistir a los impactos de cargas pesadas. Disponible en diferentes versiones.



BFLEX.FRONT/1

HEAVY LOAD / FOR FORKLIFTS

INCLUDED

S12 x 150
GALVANISED STEEL

BFLEX.FRONT/1 2000x450
MODULAR

Equipped with accessories

Packing unpacked on pallet
Colour M



BFLEX.FRONT/1 1100x450
BFLEX.FRONT/1 2400x450

Equipped with accessories

Length 1.100 / 2.400 mm
Packing unpacked on pallet
Colour M



BFLEX.FRONT/2

HEAVY LOAD / FOR FORKLIFTS

INCLUDED

S12 x 150
GALVANISED STEEL

BFLEX.FRONT/2 2000x1100
MODULAR

Equipped with accessories

Packing unpacked on pallet
Colour M



BFLEX.FRONT/2 1100x1100
BFLEX.FRONT/2 2400x1100

Equipped with accessories

Length 1.100 / 2.400 mm
Packing unpacked on pallet
Colour M



BFLEX.COM/1

HEAVY LOAD / FOR FORKLIFTS



INCLUDED

S12 x 150
GALVANISED STEEL

BFLEX.COM/1 2000x450
MODULAR

Corners available

Equipped with accessories

Packing unpacked on pallet
Colour M



BFLEX.COM/1 1100x450
BFLEX.COM/1 2400x450

Equipped with accessories

Length 1.100 / 2.400 mm
Packing unpacked on pallet
Colour M



BFLEX.COM/2

HEAVY LOAD / FOR FORKLIFTS

INCLUDED



S12 x 150
GALVANISED STEEL

BFLEX.COM/2 2000x1100
MODULAR

Corners available

Equipped with accessories

Packing unpacked on pallet
Colour M



BFLEX.COM/2 1100x1100
BFLEX.COM/2 2400x1100

Equipped with accessories

Length 1.100 / 2.400 mm
Packing unpacked on pallet
Colour M



/ REMOVABLE PLATE

NOW READY
NEW OPTIONS FOR
OUR **SAFETY BARRIERS**
AND **RACK PROTECTORS**

/ REMOVABLE PLATE

AVAILABLE FOR:
LINK / SM / LM / FENCE
HR 90 / PED 90 / PED 150

10

COLUMN PROTECTION

A new bumper system specific for the protection of the columns resistant against trolleys movements and for different load types. Designed by following an innovative technical design that combines speed and simplicity in the steps of installation and cleaning. Available in different heights and fixing systems.

Sistema di profili specifico per la protezione delle colonne dai carrelli in movimento di varie portate. Progettato seguendo un innovativo disegno tecnico che coniuga rapidità e semplicità nella fasi di installazione e pulizia. Disponibile in diverse altezze e tipologie di fissaggio.

Nouveau système bumper, spécifique pour protéger les pouteaux contre lem mouvements des chariots. Etudié avec un modern dessin qui regroupe la rapidité et la facilité pendant l'installation et le nettoyage. Disponible en différents hauteurs et différents fixations.

Sistema de perfiles específico para la protección de las columnas de los carros en movimiento de diferentes capacidades. Diseñado según un innovador diseño técnico que une velocidad y simplicidad en las fases de instalación y limpieza. Disponible en diferentes alturas y tipos de fijación.

- REMOVABLE
- NO SCRATCHES
- VERY SOLID AND SLIM DESIGN
- NO FIXING IS REQUIRED

COLUMN PROTECTION 90

LIGHT LOAD / FOR HANDPALLET TRUCKS

DIFFERENT SIZES ON REQUEST



M16
STAINLESS STEEL

COPRO 90

Packing **unpacked on pallet**
Colour B M



Equipped with accessories

COLUMN PROTECTION 150

HEAVY LOAD / FOR FORKLIFTS

ANCHOR

DIFFERENT SIZES ON REQUEST



SF20
STAINLESS STEEL

COPRO 150

Packing **unpacked on pallet**
Colour B M



Equipped with accessories

HUG TOWER 3 SIDES

HEAVY LOAD / FOR FORKLIFTS

DIFFERENT SIZED ON REQUEST



WALL FIXING
WITH S8FH
GALVANISED STEEL

COMPACT

NO HOLES
ON THE FLOOR AND COLUMN!

HUG TOWER 3 SIDES

Packing to be defined
Colour M

Equipped with accessories

HUG TOWER

HEAVY LOAD / FOR FORKLIFTS

DIFFERENT SIZED AND HEIGHT ON REQUEST

CHOOSE THE
HEIGHT YOU NEED!



COMPACT

NO HOLES
ON THE FLOOR AND COLUMN!

HUG TOWER

Packing to be defined
Colour M



Equipped with accessories

TOWER PROTECTION

HEAVY LOAD / FOR FORKLIFTS

DIFFERENT SIZED AND HEIGHT ON REQUEST

M12
GALVANISED STEEL

AVAILABLE ALSO:



TOWER

Equipped with accessories

Packing to be defined
Colour B M



TOWER LINK

HEAVY LOAD / FOR FORKLIFTS

DIFFERENT SIZED AND HEIGHT ON REQUEST

M12
GALVANISED STEEL



TOWER LINK/1 TOWER LINK/2 TOWER LINK/3

TOWER LINK/1
TOWER LINK/2
TOWER LINK/3

Equipped with accessories

Packing to be defined
Colour B M



11

LOADING BAYS PROTECTIONS

Loading bays protections are shock-proof solutions which are set up near loading doors. They avoid possible slipping, falling and flipping of moving vehicles near open and unmanned loading bays.

Sistema di protezione antiurto installato in prossimità delle porte di carico. Permettono di evitare situazioni ad alto rischio di scivolamento, caduta e ribaltamento dei mezzi in movimento in presenza di baie di carico aperte e non presidiate.

Système de protection contre les chocs installé près des portes de chargement. Ils permettent d'éviter des situations en raison du risque élevé de glissement, de chute et de basculement des véhicules en mouvement en présence de quais de chargement ouverts et sans surveillance.

La protección de muelles de carga es un sistéma anticolisión que está cerca de las puertas de carga. Evitan los riesgos de deslizamiento, caída y derrocamiento los vehículos en movimiento cuando están cerca de los muelles de carga abiertos y no vigilados.

DOCK GATE

HEAVY LOAD / FOR FORKLIFTS

M12
GALVANISED STEEL

DOCK GATE L **2400-2500**

Packing to be defined
Colour B M



Equipped with accessories

DOCK GATE XL **2500-3000**

Packing to be defined
Colour B M



Equipped with accessories

12

WHEEL STOP

Solutions designed for the safety of loading and unloading zone in warehouses and parking areas. Ideal for conveying, stopping or positioning the vehicle in the parking area, or near a cargo bay.

Soluzioni progettate per la sicurezza delle zone di carico e scarico dei magazzini e dei parcheggi. Ideali per convogliare, fermare o posizionare il mezzo nell'area di parcheggio o in prossimità di una baia di carico.

Solutions conçues pour la sécurité des zones de chargement et de déchargement des entrepôts et parkings. Idéal pour transporter, arrêter ou positioner le véhicule dans l'aire de stationnement ou à proximité d'un quai de chargement.

Soluciones diseñadas para asegurar las zonas de carga y descarga de almacenes y aparcamientos. Ideal para transportar, detener o posicionar el vehículo en la zona de aparcamiento o cerca de un muelle de carga.

TRUCK LINE

HEAVY LOAD / FOR FORKLIFTS

DIFFERENT SIZES ON REQUEST

SF20 x 200
STAINLESS STEEL

TL 500 750 1000 1500 | 2000 3000 4000

Equipped with accessories

Packing **to be defined**
Colour B M

TRUCK STOP



TRUCK STOP

Packing **to be defined**



CAR STOP



CAR STOP

Packing **to be defined**



13

CABLE COVER

Floor cable protection system in soft material. Space-saving, resistant and easy-to-install cable cover. Suitable for work areas with pedestrian passage.

Sistema di protezione morbido a pavimento per cavi. Passacavi poco ingombrante, resistente e facile da posare. Adatto ad aree di lavoro con passaggio di pedoni.

Système de protection de sol souple pour câbles. Guide-câble peu encombrant, résistant et facile à installer. Convient aux zones de travail avec passage piéton.

Sistema de protección blando de suelo para los cables. Pasacables que ahorra espacio, es duradero y fácil de instalar. Adecuado para zonas de trabajo con tráfico peatonal.



PEDESTRIAN CABLE COVER

PCC 10 - 20 - 10

Length 1.000 / 3.000 mm - 10.000 mm
Packing 8 pz / box - 1 pz / box



Recycled Material

14

CORNER PROTECTION

Designed to protect pillars and columns or external corners of walls and panels.

Realizzato per proteggere pilastri e colonne o angoli esterni di muri e pannelli.

Etudié pour protéger les poteaux et les colonnes ou les angles extérieurs de murs et de panneaux.

Realizado para proteger pilares y columnas o esquinas exteriores de paredes y paneles.



CP 100

Length 4.000 mm
Packing 10 pz / box
Colour B M E F

Length 2.000 mm
Packing 10 pz / bag
Colour M



CPF 100

Length 4.000 mm
Packing 10 pz / bag

Length 2.000 mm
Packing 10 pz / bag

CPT 100

Packing 40 pz / box
Colour B E F





CP 200

Length 4.000 mm
Packing 2 pz / bag
Colour B M E

Length 2.000 mm
Packing 2 pz / bag
Colour M

CPF 200

Length 2.000 / 4.000 mm
Packing 2 pz / bag

CPT 200

Packing 20 pz box
Colour B E



15

KERB

A large size protection system, ideal for walls and panels. Easy to install and clean. Fully equipped with corner caps and buttons.

Sistema di protezione di grandi dimensioni, ideale per muri e pannelli. Facile da installare e pulire Completo di angolari e tappi.

Système de protection de grands dimensions, idéal pour les murs et les panneaux. Facile à installer et à nettoyer. Complété de bouchons d'angles et d'embouts.

Sistema de protección de grande dimensión, ideal para paredes y paneles. Fácil de instalar y limpiar. Completo de esquinas y tapas.



KS 200

Length 4.000 mm
Packing 3 pz / box
Colour B M E



KEPF 200

To install with TB14

Packing 50 pz / box
Colour K



KSJ 200

To install with TB14 / TF14

Packing 20 pz / box
Colour B E



KSI 200

To install with TB14 / TF14

Packing 20 pz / box
Colour B E





KSE 200

To install with TB14 / TF14

Packing 20 pz / box
Colour B E



KSTDX/SX 200

To install with TB14 / TF14

Packing 20 pz / box
Colour B E



KSJ 200 LT

THERMAL BREAK RESISTANT

Packing to be defined
Colour K



KS 300

Length 4.000 mm
Packing 1 pz
Colour M E



KEPF 300

To install with TB20

Packing 40 pz / box



KSJ 300

To install with TB20 / TF20

Packing 10 pz / box
Colour B E



KSI 300

To install with TB20 / TF20

Packing 10 pz / box
Colour B E



KSE 300

To install with TB20 / TF20

Packing 10 pz / box
Colour B E



KSTDX/SX 300

To install with TB20 / TF20

Packing 10 pz / box
Colour B E



16

WALL PROTECTION

New bumper without guides. Thanks to its big size and resistance it is ideal for protection of industrial spaces. Fixed caps with hidden screws covered by specific buttons.

Nuovo profilo antiurto senza guida. La sua ampiezza e resistenza lo rende ideale per la protezione di ambienti industriali. Terminali fissati con viti nascoste da appositi bottoni.

Nouveau profilé anti-choc sans besoin d'une base à fixer. Sa mesure large et sa résistance en font le profilé parfait pour la protection des espaces industriels. Embouts fixés avec des vis cachées grâce à des bouchons spécifiques.

Nuevo perfil antigolpe sin guía. Su amplitud y resistencia lo hacen ideal para la protección de entornos industriales. Terminales fijados con tornillos ocultos por botones especiales.



WP 100

Length **4.000 mm**
Packing **8 pz / box**
Colour B E F





WP 150

Length **4.000 mm**
Packing **4 pz / box**
Colour B M E



WPC

To install with WP 100 / WP 150

Length **4.000 mm**
Packing **16 pz / box**
Colour A B M D E F G H



WPT 100

To install with TM5

Packing **50 pz / box**
Colour B E F



WPA 100

To install with TS9

Packing **20 pz / box**
Colour B E



WPT 150

To install with TM5

Packing **50 pz / box**
Colour B E



WPA 150

To install with TS9

Packing **20 pz / box**
Colour B E



WP 100

Length **4.000 mm**
Packing **8 pz / box**
Colour B E F



WP 150

Length **4.000 mm**
Packing **4 pz / box**
Colour B M E



WPCS

To install with WP 100 / WP 150

SOFT

Length **4.000 mm**
Packing **8 pz / box**
Colour A B M D E F G H I



WPTS 100

To install with TS9

Packing **20 pz / box**
Colour B E



WPAS 100

To install with TS9

Packing **20 pz / box**
Colour B E



WPTS 150

To install with TS9

Packing **20 pz / box**
Colour B E



WPAS 150

To install with TS9

Packing **20 pz / box**
Colour B E







ASP 200

SOFT

Length **4.000 mm**
Packing **2 pz / box**
Colour B M



ASPT 200

SOFT

Packing **10 pz / box**
Colour B D





ASA

Material **aluminium**
Length **4.000 mm**
Packing **8 pz / bundle**



ASCO

SOFT

Packing **2 pz / box**
L = 32.000 mm
Colour A B M D G



WALL HUG 1000 2000 3000 4000

Length 1000/2000/3000/4000
Packing **unpacked**
Colour M



WALL BFLEX 1000 2000 3000 4000

Length 1000/2000/3000/4000
Packing **unpacked**
Colour M





NEWS

LOFT BARRIER

WORLD'S FIRST FIXED PROTECTION SYSTEM FOR SUSPENDED AREAS



FLEXI LINE

CORNER BUMPER GUARDS

FENCE LINK

THE ADAPTABLE STRONGEST SOLUTION FOR RACK-ENDS

Now available
CUSTOMISED RACK PROTECTOR,
new version of **rack protector**
processed upon request!

CUSTOMISED **RACK PROTECTOR**

M12 - M16
HILTI

Hole required Ø 12-16
Galvanized steel.

B12 - B16 - B20
HILTI

Hole required Ø 22-28-32
Galvanized steel.

SF12 - SF16 - SF20 INOX
Hole required Ø 14-18-24
Stainless steel.

KIT ROD 70-120
HILTI

Hole required Ø 38-56
Galvanized steel.

AA12 - AA16
Hole required Ø 22-22
Galvanized steel.
For asphalt.

FR
HILTI CHEMICAL ANCHOR
300 ML

S12 - S12X150 - S16
HILTI

Hole required Ø 10-10-14
Galvanized steel.

S8FH - S12FH
HILTI

Hole required Ø 6-10
Galvanized steel.
Countersunk.

M12 - M16 INOX
Hole required Ø 12-16
Stainless steel.

KIT ROD 70-120 INOX
HILTI

Hole required Ø 38-56
Galvanized steel.

ASPHALT CHEMICAL
CHEMICAL ANCHOR
385 ML

WIT NORDIC
CHEMICAL ANCHOR
420 ML
(Installation in working cold rooms
with negative temperatures)

MPM srl reserves the right, at any time, to introduce the necessary changes and improvements to its products.
Any small imperfection in the products and in the materials used are due to the processing method.
Any reproduction of this brochure, even in part, is forbidden.

TM5
Hole required Ø 8.5
Neutral polyethylene. 100/500 Pcs. / bag.

TS9
Hole required Ø 5
White or grey nylon. 1000 Pcs. / bag.

TB14 - TB20
Hole required Ø 4-5
Steel / aluminium (white for ø 4)
500 Pcs. / box.

TF14 - TF20
Hole required Ø 5-6.5
Aluminium. 500 Pcs. / box.

FIX P90
Galvanized steel and painted.

COVER 90 RE
Galvanized steel and painted.

FIX P90 INOX
Stainless steel.

FIX P150
Galvanized steel and painted.

COVER 150 RE
Galvanized steel and painted.

FIX P150 INOX
Stainless steel.

FIX P150 FH
Galvanized steel and painted.
Countersunk.

FULL FRAME BASE
Galvanized steel and painted.



SHOCK ABSORBER PAD
Soft material, optional for FIXP150.
(To be installed with S12x150)

Colours

A	B	D	E	F	G	H	I	K	L	M
RED RAL 3002	GREY RAL 7040	BLACK RAL 9005	WHITE RAL 9010	WHITE RAL 9002	BLUE RAL 5005	GREEN RAL 6029	SILVER RAL 9006	LIGHT GREY RAL 7035	DARK GREY RAL 7024	LIGHT YELLOW RAL 1018

MPM srl reserves the right, at any time, to introduce the necessary changes and improvements to its products.
Any small imperfection in the products and in the materials used are due to the processing method.
Any reproduction of this brochure, even in part, is forbidden.

THE WORLD'S TOP **LOGISTICS** PROFESSIONALS CHOOSE OUR **QUALITY MADE IN ITALY**

MPM FLEXIBLE PROTECTIONS

SOME OF OUR REFERENCES

MPM FLEXIBLE PROTECTIONS

DB SCHENKER · amazon · Mars · MAN · Coca-Cola Refreshments · DHL · SEAT · FCA FIAT CHRYSLER AUTOMOBILES · Frankfurt Airport · GARNIER · DSV Global Transport and Logistics · BMW · HONDA · IKEA · SIEMENS · RENAULT · Colgate · P&G · Unilever

OUR INSTALLATION



OUR INSTALLATION









OUR INSTALLATION



MPM states that:

The safety coefficient and consequent use of the products requires the compliance with the appropriate assembling and installation instructions as defined in the technical catalogue on the corporate website **www.mpmprotections.com**. Therefore, before buying and installing MPM solutions please consult the technical data sheet of each product in the technical catalogue available on **www.mpmprotections.com**

Impact resistances indicated in the brochure, or in other documents, refer to laboratory tests and cannot take into account consequences determined by installation methods or peculiarities of the place where the products are installed (in an operational environment vehicle type, speed and mass, routes, angles of impact, ground and anchorage are variable and uncontrolled conditions that no test can replicate); the data refers to an intact product which length is indicated on the test report and it can be affected by alterations from incorrect maintenance, wear and tear, as well as the methods and characteristics of installation (with specific reference to floor-mounted products); the weight, dimensions, colours and characteristics of the material refer to the sample and the conformity with the latter of the product supplied will be subject to normal production tolerance. The product may be affected by environmental installation conditions.

The standard operating temperature of MPM flexible protections is generally from +5 °C to +60 °C. For installations in low temperature environments up to -30 °C an alternative material should be required. The fastness of the colour and its brightness depend on wear and tear and weather conditions that can affect its intensity over time. For outdoor applications exposed to direct sunlight it is possible to choose the grey colour.

Images in the brochure are for advertising purposes only and do not in any way represent how the products should be used.

Full version of MPM products warranty available on corporate website **www.mpmprotections.com**

MADE IN
ITALY

FLEXIBLE PROTECTIONS

M.P.M. s.r.l.
Via Europa 2
35010 Fratte
di S. Giustina in Colle
Padova · Italy

T +39 049 9301773
F +39 049 9300427
info@mpmpvc.com
mpmprotections.com